



## Water Cooled 600kw Diesel Generator Deutz Genset For Residential / Commercial

Our Product Introduction

### Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE/ISO9001
- Model Number: DE-HD825
- Minimum Order Quantity: 1 PC
- Price: bargain face-to-face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 20-30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 1 MONTH 600PCS



### Product Specification

- Name: 600kw Diesel Generator
- Engine Brand: Deutz
- Cooling Method: Water-Cooling System
- Fuel Type: Diesel
- Rated Frequency: 50HZ/60HZ
- Speed: 1500RPM/1800RPM
- Warranty: 12 Months/1000 Hours
- Highlight: **Water Cooled 600kw Diesel Generator, 600kw Diesel Generator Deutz, 600kw Deutz Genset**

for more products please visit us on [dellentpower.com](http://dellentpower.com)

# CE Deutz Diesel Generator about 600kW.

Looking for reliable Deutz generators for your power needs? Look no further than our Deutz generator dealership! We are proud to offer a wide range of high-quality Deutz gensets that are perfect for both residential and commercial use. Our Deutz generators are known for their superior performance, durability, and efficiency, making them the perfect choice for anyone who needs reliable and uninterrupted power. Whether you need a backup power source for your home or office or you need a reliable generator for your industrial or construction site, we have the perfect Deutz generator for you.

## . PRODUCT

| 50 Hz              |             | 60 Hz |               | TECHNICAL DATA |                  | DEUTZ<br>WATER-COOLED Series Diesel Generator Sets |             |                        |                      |               |                   |             |    |  |  |
|--------------------|-------------|-------|---------------|----------------|------------------|----------------------------------------------------|-------------|------------------------|----------------------|---------------|-------------------|-------------|----|--|--|
| Genset Performance |             |       |               |                |                  | Engine Performance                                 |             |                        |                      |               | Dimensions(L×W×H) |             |    |  |  |
| Genset Model       | Prime Power |       | Standby Power |                | Engine model     | Speed                                              | Prime power | Fuel Cons. (100% Load) | Cylinder Bore×Stroke | Displace ment | Open Type         | Silent Type |    |  |  |
|                    | kW          | kVA   | kW            | kVA            |                  | rpm                                                | kW          | L/h                    | Qty. ×mm             | L             | mm                | mm          | mm |  |  |
| DE-DD22            | 16          | 20    | 17.6          | 22             | BFM3-G1          | 1500                                               | 20          | 4.9                    | 4L-98×105            | 3.168         | 150×74×108        | 220×90×120  |    |  |  |
| DE-DD33            | 24          | 30    | 26.4          | 33             | BFM3-G2          | 1500                                               | 29          | 7.7                    | 4L-98×105            | 3.168         | 150×74×108        | 220×90×120  |    |  |  |
| DE-DD44            | 32          | 40    | 35.2          | 44             | BFM3T            | 1500                                               | 40          | 9.3                    | 4L-98×105            | 3.168         | 160×74×108        | 225×90×120  |    |  |  |
| DE-DD55            | 40          | 50    | 44            | 55             | BFM3C            | 1500                                               | 45          | 11.2                   | 4L-98×105            | 3.168         | 160×74×120        | 230×102×120 |    |  |  |
| DE-DD66            | 48          | 60    | 52.8          | 66             | BF4M2012         | 1500                                               | 54          | 12.5                   | 4L-101×126           | 4.04          | 181×90×128        | 250×102×130 |    |  |  |
| DE-DD80            | 58          | 72.5  | 64            | 80             | BF4M2012C-G1     | 1500                                               | 71          | 15.2                   | 4L-101×126           | 4.04          | 181×90×128        | 250×102×130 |    |  |  |
| DE-DD103           | 75          | 93    | 82.5          | 103            | BF4M2012C-G2     | 1500                                               | 85          | 19.9                   | 4L-101×126           | 4.04          | 185×90×128        | 250×102×130 |    |  |  |
| DE-DD110           | 80          | 100   | 88            | 110            | BF4M2012C-G2     | 1500                                               | 85          | 21.3                   | 4L-101×126           | 4.04          | 185×90×128        | 250×102×130 |    |  |  |
| DE-DD121           | 88          | 110   | 96.8          | 121            | BF4M1013EC-G1    | 1500                                               | 97          | 24.2                   | 4L-108×130           | 4.76          | 192×100×140       | 265×108×152 |    |  |  |
| DE-DD150           | 108         | 135   | 120           | 150            | BF4M1013FC       | 1500                                               | 117         | 28.9                   | 4L-108×130           | 4.76          | 203×100×140       | 265×108×152 |    |  |  |
| DE-DD175           | 128         | 160   | 140           | 175            | BF4M1013EC-G1    | 1500                                               | 146         | 33.6                   | 6L-108×130           | 7.15          | 249×100×140       | 330×110×185 |    |  |  |
| DE-DD182           | 132         | 165   | 145.2         | 181.5          | BF4M1013EC-G1    | 1500                                               | 146         | 35.8                   | 6L-108×130           | 7.15          | 254×100×140       | 340×110×185 |    |  |  |
| DE-DD200           | 144         | 180   | 160           | 200            | BF4M1013EC-G2    | 1500                                               | 160         | 39.2                   | 6L-108×130           | 7.15          | 254×100×140       | 340×110×185 |    |  |  |
| DE-DD220           | 160         | 200   | 176           | 220            | BF4M1013FCG3     | 1500                                               | 183         | 45.6                   | 6L-108×130           | 7.15          | 258×100×150       | 340×115×178 |    |  |  |
| DE-DD250           | 180         | 225   | 200           | 250            | BF4M1015-LAG4    | 1500                                               | 208         | 47.5                   | 6V-132×145           | 11.906        | 266×141×215       | 435×170×223 |    |  |  |
| DE-HD275           | 200         | 250   | 220           | 275            | BF4M1015C-LAG1A  | 1500                                               | 228         | 52.3                   | 6V-132×145           | 11.906        | 266×141×215       | 435×170×223 |    |  |  |
| DE-HD316           | 230         | 287.5 | 253           | 316            | BF4M1015C-LAG3A  | 1500                                               | 256         | 57.6                   | 6V-132×145           | 11.906        | 276×141×215       | 435×170×223 |    |  |  |
| DE-HD350           | 250         | 312.5 | 280           | 350            | BF4M1015C-LAG3A  | 1500                                               | 282         | 68                     | 6V-132×145           | 11.906        | 276×141×215       | 435×170×223 |    |  |  |
| DE-HD385           | 280         | 350   | 308           | 385            | BF4M1015C-LAG4   | 1500                                               | 310         | 74.8                   | 6V-132×145           | 11.906        | 283×141×215       | 435×170×223 |    |  |  |
| DE-HD412           | 300         | 375   | 330           | 412.5          | BF4M1015CP-LAG   | 1500                                               | 328         | 80.3                   | 6V-132×145           | 11.906        | 283×141×215       | 435×170×223 |    |  |  |
| DE-HD500           | 360         | 450   | 400           | 500            | BF4M1015C-LAG2   | 1500                                               | 403         | 95.8                   | 8V-132×145           | 15.874        | 315×156×215       | 460×180×223 |    |  |  |
| DE-HD550           | 400         | 500   | 440           | 550            | BF4M1015CP-LAG2  | 1500                                               | 448         | 106                    | 8V-132×145           | 15.874        | 315×156×215       | 460×180×223 |    |  |  |
| DE-HD600           | 432         | 540   | 480           | 600            | BF4M1015CP-LAG4  | 1500                                               | 480         | 115                    | 8V-132×145           | 15.874        | 315×156×215       | 460×180×223 |    |  |  |
| DE-HD750           | 540         | 675   | 600           | 750            | HC12V132ZL-LAG1A | 1500                                               | 600         | 139.1                  | 12V-132×145          | 23.812        | 372×180×235       | 590×200×253 |    |  |  |
| DE-HD825           | 600         | 750   | 660           | 825            | HC12V132ZL-LAG3A | 1500                                               | 666         | 154.4                  | 12V-132×145          | 23.812        | 372×180×235       | 590×200×253 |    |  |  |
|                    |             |       |               |                |                  |                                                    |             |                        |                      |               |                   |             |    |  |  |
| DE-DD30            | 22          | 27.5  | 24            | 30             | BFM3-G1          | 1800                                               | 25          | 6.6                    | 4L-98×105            | 3.168         | 150×74×108        | 220×90×120  |    |  |  |
| DE-DD41            | 30          | 37.5  | 33            | 41             | BFM3-G2          | 1800                                               | 34          | 9                      | 4L-98×105            | 3.168         | 150×74×108        | 220×90×120  |    |  |  |
| DE-DD55            | 40          | 50    | 44            | 55             | BFM3T            | 1800                                               | 45          | 11.4                   | 4L-98×105            | 3.168         | 160×74×108        | 225×90×120  |    |  |  |
| DE-DD69            | 50          | 62.5  | 55            | 69             | BFM3C            | 1800                                               | 55          | 13.8                   | 4L-98×105            | 3.168         | 160×74×108        | 230×102×120 |    |  |  |
| DE-DD75            | 54          | 67.5  | 60            | 75             | BF4M2012         | 1800                                               | 63          | 15.6                   | 4L-101×126           | 4.04          | 181×90×128        | 250×102×130 |    |  |  |
| DE-DD93            | 68          | 85    | 74.8          | 93.5           | BF4M2012C-G1     | 1800                                               | 79          | 21.9                   | 4L-101×126           | 4.04          | 185×90×128        | 250×102×130 |    |  |  |
| DE-DD110           | 80          | 100   | 88            | 110            | BF4M1012C-G2     | 1800                                               | 96          | 23.1                   | 4L-101×126           | 4.04          | 185×90×128        | 250×102×130 |    |  |  |
| DE-DD120           | 86          | 107.5 | 96            | 120            | BF4M1012C-G2     | 1800                                               | 96          | 24.4                   | 4L-101×126           | 4.04          | 185×90×128        | 250×102×130 |    |  |  |
| DE-DD138           | 100         | 125   | 110           | 137.5          | BF4M1013EC-G2    | 1800                                               | 115         | 29.1                   | 4L-108×130           | 4.76          | 195×100×140       | 265×108×152 |    |  |  |
| DE-DD175           | 128         | 160   | 140           | 175            | BF4M1013EC-G1    | 1800                                               | 155         | 35.8                   | 6L-108×130           | 7.15          | 249×100×140       | 330×110×185 |    |  |  |
| DE-DD220           | 160         | 200   | 176           | 220            | BF4M1013EC-G2    | 1800                                               | 181         | 45.8                   | 6L-108×130           | 7.15          | 254×100×140       | 340×110×185 |    |  |  |
| DE-HD250           | 180         | 225   | 200           | 250            | BF4M1013FCG3     | 1800                                               | 204         | 53                     | 6L-108×130           | 7.15          | 254×100×140       | 340×110×185 |    |  |  |
| DE-HD275           | 200         | 250   | 220           | 275            | BF4M1015-LAG8    | 1800                                               | 225         | 53.8                   | 6V-132×145           | 11.906        | 266×141×215       | 435×170×223 |    |  |  |
| DE-HD300           | 220         | 275   | 240           | 300            | BF4M1015C-LAG1B  | 1800                                               | 244         | 58.9                   | 6V-132×145           | 11.906        | 266×141×215       | 435×170×223 |    |  |  |
| DE-HD350           | 250         | 312.5 | 280           | 350            | BF4M1015C-LAG2B  | 1800                                               | 279         | 67.3                   | 6V-132×145           | 11.906        | 276×141×215       | 435×170×223 |    |  |  |
| DE-HD385           | 280         | 350   | 308           | 385            | BF4M1015C-LAG3B  | 1800                                               | 306         | 73.8                   | 6V-132×145           | 11.906        | 276×141×215       | 435×170×223 |    |  |  |
| DE-HD440           | 320         | 400   | 352           | 440            | BF4M1015CP-LAG2B | 1800                                               | 351         | 85.9                   | 6V-132×145           | 11.906        | 283×141×215       | 435×170×223 |    |  |  |
| DE-HD500           | 360         | 450   | 400           | 500            | BF4M1015C-LAG1B  | 1800                                               | 408         | 99.8                   | 8V-132×145           | 15.874        | 315×156×215       | 460×180×223 |    |  |  |
| DE-HD525           | 380         | 475   | 420           | 525            | BF4M1015CP-LAG1B | 1800                                               | 429         | 105                    | 8V-132×145           | 15.874        | 315×156×215       | 460×180×223 |    |  |  |
| DE-HD578           | 420         | 525   | 462           | 577.5          | BF4M1015CP-LAG2B | 1800                                               | 470         | 115                    | 8V-132×145           | 15.874        | 315×156×215       | 460×180×223 |    |  |  |
| DE-HD625           | 450         | 562.5 | 500           | 625            | BF4M1015CP-LAG3B | 1800                                               | 500         | 122.4                  | 8V-132×145           | 15.874        | 315×156×215       | 460×180×223 |    |  |  |
| DE-HD750           | 540         | 675   | 600           | 750            | HC12V132ZL-LAG1B | 1800                                               | 600         | 139.1                  | 12V-132×145          | 23.812        | 372×180×235       | 590×200×253 |    |  |  |
| DE-HD825           | 600         | 750   | 660           | 825            | HC12V132ZL-LAG2B | 1800                                               | 666         | 154.4                  | 12V-132×145          | 23.812        | 372×180×235       | 590×200×253 |    |  |  |

## . Why Choose Us:

# Dedicated

We are DEDICATED to meet Customers' need.

# Enthusiasm

We respond to our Customers' ENTHUSIASM

# Loyalty

We cherish our Customers' LOYALTY

# Luxury

We aim to establish our own LUXURY brand

# Efficient

We offer our EFFICIENT service

# Newest

We adopt NEWEST technologies for products

# Trust

We strive for winning the TRUST from Customers

## . QUALIFICATION CERTIFICATE:



## . FACTORY INTERIOR:



**Fuan Dellent Electric & Machinery Co., Ltd.**



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN

