



## Cummins 1000kw Generator 1500RPM 1800RPM Cummins Industrial Generator

Our Product Introduction

### Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT-Cummins
- Certification: CE/ISO9001
- Model Number: DE-CC1375
- Minimum Order Quantity: 1 PC
- Price: bargain face-to-face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 20-30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 1 MONTH 600PCS



### Product Specification

- Name: Cummins 1000kw Generator
- Engine Brand: Cummins
- Cooling Method: Water-Cooling System
- Fuel Type: Diesel
- Rated Frequency: 50HZ/60HZ
- Speed: 1500RPM/1800RPM
- Warranty: 12 Months/1000 Hours
- Highlight: **Cummins 1000kw Generator,  
1500RPM Cummins Industrial Generator,  
1800RPM Cummins Industrial Generator**

for more products please visit us on [dellentpower.com](http://dellentpower.com)

# CE Cummins Diesel Generator about 1000kW.

Looking for reliable Cummins generators for your power needs? Look no further than our Cummins generator dealership! We are proud to offer a wide range of high-quality Cummins gensets that are perfect for both residential and commercial use. As an authorized Cummins generator dealer, we offer a wide range of models to suit any power needs and budget. From compact and portable generators to heavy-duty industrial generators, we have the expertise and resources to help you find the perfect generator for your needs.

## . PRODUCT

50 60 TECHNICAL DATA CUMMINS CCEC Series Diesel Generator Sets									
Generator Model	Prime Power (kW)	Rated Power (kW)	Rated Voltage (V)	Rated Frequency (Hz)	Rated Speed (rpm)	Rated Current (A)	Rated Power (kVA)	Rated Power (MVA)	Rated Power (MW)
CE-C230	18	15	230	50	1500	30	23	0.023	0.023
CE-C240	24	20	240	50	1500	40	24	0.024	0.024
CE-C250	25	21	250	50	1500	42	25	0.025	0.025
CE-C260	30	25	260	50	1500	50	30	0.030	0.030
CE-C270	36	30	270	50	1500	60	36	0.036	0.036
CE-C280	42	35	280	50	1500	70	42	0.042	0.042
CE-C290	48	40	290	50	1500	80	48	0.048	0.048
CE-C300	54	45	300	50	1500	90	54	0.054	0.054
CE-C310	60	50	310	50	1500	100	60	0.060	0.060
CE-C320	66	55	320	50	1500	110	66	0.066	0.066
CE-C330	72	60	330	50	1500	120	72	0.072	0.072
CE-C340	78	65	340	50	1500	130	78	0.078	0.078
CE-C350	84	70	350	50	1500	140	84	0.084	0.084
CE-C360	90	75	360	50	1500	150	90	0.090	0.090
CE-C370	96	80	370	50	1500	160	96	0.096	0.096
CE-C380	102	85	380	50	1500	170	102	0.102	0.102
CE-C390	108	90	390	50	1500	180	108	0.108	0.108
CE-C400	114	95	400	50	1500	190	114	0.114	0.114
CE-C410	120	100	410	50	1500	200	120	0.120	0.120
CE-C420	126	105	420	50	1500	210	126	0.126	0.126
CE-C430	132	110	430	50	1500	220	132	0.132	0.132
CE-C440	138	115	440	50	1500	230	138	0.138	0.138
CE-C450	144	120	450	50	1500	240	144	0.144	0.144
CE-C460	150	125	460	50	1500	250	150	0.150	0.150
CE-C470	156	130	470	50	1500	260	156	0.156	0.156
CE-C480	162	135	480	50	1500	270	162	0.162	0.162
CE-C490	168	140	490	50	1500	280	168	0.168	0.168
CE-C500	174	145	500	50	1500	290	174	0.174	0.174
CE-C510	180	150	510	50	1500	300	180	0.180	0.180
CE-C520	186	155	520	50	1500	310	186	0.186	0.186
CE-C530	192	160	530	50	1500	320	192	0.192	0.192
CE-C540	198	165	540	50	1500	330	198	0.198	0.198
CE-C550	204	170	550	50	1500	340	204	0.204	0.204
CE-C560	210	175	560	50	1500	350	210	0.210	0.210
CE-C570	216	180	570	50	1500	360	216	0.216	0.216
CE-C580	222	185	580	50	1500	370	222	0.222	0.222
CE-C590	228	190	590	50	1500	380	228	0.228	0.228
CE-C600	234	195	600	50	1500	390	234	0.234	0.234
CE-C610	240	200	610	50	1500	400	240	0.240	0.240
CE-C620	246	205	620	50	1500	410	246	0.246	0.246
CE-C630	252	210	630	50	1500	420	252	0.252	0.252
CE-C640	258	215	640	50	1500	430	258	0.258	0.258
CE-C650	264	220	650	50	1500	440	264	0.264	0.264
CE-C660	270	225	660	50	1500	450	270	0.270	0.270
CE-C670	276	230	670	50	1500	460	276	0.276	0.276
CE-C680	282	235	680	50	1500	470	282	0.282	0.282
CE-C690	288	240	690	50	1500	480	288	0.288	0.288
CE-C700	294	245	700	50	1500	490	294	0.294	0.294
CE-C710	300	250	710	50	1500	500	300	0.300	0.300
CE-C720	306	255	720	50	1500	510	306	0.306	0.306
CE-C730	312	260	730	50	1500	520	312	0.312	0.312
CE-C740	318	265	740	50	1500	530	318	0.318	0.318
CE-C750	324	270	750	50	1500	540	324	0.324	0.324
CE-C760	330	275	760	50	1500	550	330	0.330	0.330
CE-C770	336	280	770	50	1500	560	336	0.336	0.336
CE-C780	342	285	780	50	1500	570	342	0.342	0.342
CE-C790	348	290	790	50	1500	580	348	0.348	0.348
CE-C800	354	295	800	50	1500	590	354	0.354	0.354
CE-C810	360	300	810	50	1500	600	360	0.360	0.360
CE-C820	366	305	820	50	1500	610	366	0.366	0.366
CE-C830	372	310	830	50	1500	620	372	0.372	0.372
CE-C840	378	315	840	50	1500	630	378	0.378	0.378
CE-C850	384	320	850	50	1500	640	384	0.384	0.384
CE-C860	390	325	860	50	1500	650	390	0.390	0.390
CE-C870	396	330	870	50	1500	660	396	0.396	0.396
CE-C880	402	335	880	50	1500	670	402	0.402	0.402
CE-C890	408	340	890	50	1500	680	408	0.408	0.408
CE-C900	414	345	900	50	1500	690	414	0.414	0.414
CE-C910	420	350	910	50	1500	700	420	0.420	0.420
CE-C920	426	355	920	50	1500	710	426	0.426	0.426
CE-C930	432	360	930	50	1500	720	432	0.432	0.432
CE-C940	438	365	940	50	1500	730	438	0.438	0.438
CE-C950	444	370	950	50	1500	740	444	0.444	0.444
CE-C960	450	375	960	50	1500	750	450	0.450	0.450
CE-C970	456	380	970	50	1500	760	456	0.456	0.456
CE-C980	462	385	980	50	1500	770	462	0.462	0.462
CE-C990	468	390	990	50	1500	780	468	0.468	0.468
CE-C1000	474	395	1000	50	1500	790	474	0.474	0.474

## . Why Choose Us:

**Dedicated**  
We are DEDICATED to meet Customers' need.

**Enthusiasm**  
We respond to our Customers' ENTHUSIASM

**Loyalty**  
We cherish our Customers' LOYALTY

**Luxury**  
We aim to establish our own LUXURY brand

**Efficient**  
We offer our EFFICIENT service

**Newest**  
We adopt NEWEST technologies for products

**Trust**  
We strive for winning the TRUST from Customers

## . QUALIFICATION CERTIFICATE:



## . FACTORY INTERIOR:



**Fuan Dellent Electric & Machinery Co., Ltd.**



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN  
CITY,NINGDE CITY,FUJIAN.CHINA