



Three Phase SDEC Diesel Generator 138kVA Standby Power Diesel Generator

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE/ISO9001
- Model Number: DE-SC138SC
- Minimum Order Quantity: 1*20GP
- Price: face to face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 30 DAYS FROM DEPOSIT RECEIVED
- Payment Terms: L/C, T/T
- Supply Ability: 500 PCS PER MONTH



Product Specification

- Name: Three Phase SDEC Diesel Generator
- Engine Model: SC4H180D2
- Frequency: 50Hz
- Engine Brand: SDEC
- No. Of Cylinder: 4 Cylinder In Line
- Rated Speed: 1500rpm
- Voltage: 400V/230V
- Warranty: 12 Months
- Controller: Automatic Start/Stop
- Prime Power: 100kW/125kVA
- Standby Power: 110kW/138kVA
- Alternator Type: Brushless
- Highlight: **Three Phase SDEC Diesel Generator,
SDEC Diesel Generator 138kVA,
Standby Power Diesel Generator Three Phase**

for more products please visit us on dellentpower.com

Product Description

Three Phase SDEC Engine 138kVA Standby Power Diesel Generator



.PRODUCT DESCRIPTION

138kVA Standby Power SDEC Genset Soundproof Engine By 4 Cylinder In Line. Dellent Power supply the standby power 138kVA water cooled diesel generator with SDEC brand diesel engine model SC4H180D2. The water cooled diesel generator with rated output 125kVA /100kW, standby power 138kVA /110kW.

138kVA Diesel Generator Powered by SDEC Diesel Engine:

Model		DE-SC138SC
Prime Power	kVA	125
	kW	100
Standby Power	kVA	138
	kW	110
Frequency	Hz	50
Rate Voltage	V	400/230
Rate Current	A	199.19

Specification of the Diesel Engine:

Engine Manufacturer		Shanghai Diesel Engine Co., Ltd.
Engine Brand		SDEC
Engine Model		SC4H180D2
No. of Cylinder		4 Cylinder in line
Aspiration		Turbocharged
Governor		Electric
Engine Max. Output Power	kW	132
Displacement	L	4.300
Starting Voltage	V	400
Bore	mm	105
Stroke	mm	124

Specification of Automatic Control Panel:

Controller Brand		ComAp
Breaker Brand		Delixi
Breaker Capacity	A	63
Battery Charger		Smartgen Model BAC06A
Emergency Stop Button		Supply
Automatic Mains Fail (AMF)		Supply
Fuel Level		Supply
Automatic Transfer Switch		ATS as optional part
Mains Monitor		Supply with DELL-ENT Function

The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and

generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).

Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.



. Why Choose Us:

Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CERTIFICATE:



. FACTORY INTERIOR:



1. When diesel generators are not used for a long time, regular maintenance and inspection should be carried out to ensure their normal operation;
- 2: Diesel generators should use dry air to avoid malfunctions caused by high humidity;
- 3: Diesel generators should avoid long-term low load operation to avoid affecting the performance of the diesel engine;
- 4: Diesel generators should be avoided in high-altitude areas to avoid affecting the performance of the diesel engine;



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDE CITY,FUJIAN.CHINA